

No. IPS-1439-20/2021

EDITION 2

According UE type-examination (module B) it is confirmed that PPE is intended to protect against the risk of category II:

Safety footwear, antistatic, ESD:

TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876;
TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855;
TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875;
TRAX 01-015840; TRAX W 01-015876; TRAX 01-015841; TRAX W 01-015855;
TRAX 01-015842; TRAX W 01-015875; TRAX 01-025840; TRAX W 01-025876;
TRAX 01-025841; TRAX W 01-025855; TRAX 01-025842; TRAX W 01-025875;
TRAX 01-045840; TRAX W 01-045876; TRAX 01-045841; TRAX W 01-045855;
TRAX 01-045842; TRAX W 01-045875

produced by:

PROTEKTOR Spółka Akcyjna
ul. Vetterów 24a-24b
20-277 Lublin

satisfies the applicable essential health and safety requirements in accordance with Annex II Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC and the harmonised standards EN ISO 20345:2012 (PN-EN 20345:2012) and standard EN 61340-5-1:2016, 5.3.3 (PN-EN 61340-5-1:2017 p. 5.3.3)

Category of footwear:

S1 P SRC: TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876; TRAX 01-015840;
TRAX W 01-015876; TRAX 01-025840; TRAX W 01-025876; TRAX 01-045840;
TRAX W 01-045876

S3 CI SRC: TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855; TRAX 01-015841;
TRAX W 01-015855; TRAX 01-025841; TRAX W 01-025855; TRAX 01-045841;
TRAX W 01-045855; TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875;
TRAX 01-015842; TRAX W 01-015875; TRAX 01-025842; TRAX W 01-025875;
TRAX 01-045842; TRAX W 01-045875

The attachment No. 1/IPS-1439-20/2021 edition 2 of 16.02.2022 is an integral part of EU type-examination certificate. The information laid down in the attachment are the basis for the issuance of the present certificate.

The manufacturer or the authorised representative shall inform NB 1439 of all modifications to the approved type and all modifications of the technical documentation that may affect the conformity of the PPE with the applicable health and safety requirements or the conditions of validity of the certificate.

The certification was granted on 25 March, 2021

The certificate is valid until 24 March, 2026

Head of the Centre for Certification



M. Sc. Eng. Agnieszka Pietrzak

Lodz, 16 February, 2022

NOTIFIED BODY No. 1439

Sieć Badawcza ŁUKASIEWICZ - INSTYTUT PRZEMYSŁU SKÓRZANEGO
OŚRODEK CERTYFIKACJI
POLAND, 91-463 Łódź, ul. Zgierska 73









phone. +48 42 25 36 128
e-mail: iso@ips.lodz.pl









1. Description of the personal protective equipment

PPE:		safety footwear, antistatic, ESD	
Type identification	TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876; TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855; TRAX 01-015840; TRAX W 01-015876; TRAX 01-015841; TRAX W 01-015855; TRAX 01-025840; TRAX W 01-025876; TRAX 01-025841; TRAX W 01-025855; TRAX 01-045840; TRAX W 01-045876; TRAX 01-045841; TRAX W 01-045855	TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875; TRAX 01-015842; TRAX W 01-015875; TRAX 01-025842; TRAX W 01-025875; TRAX 01-045842; TRAX W 01-045875	
Design:	A – low shoe	B – ankle boot	
according to the EN ISO 20345:2012, 5.2			
Size (French size, UNISEX):	35÷51	TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE 01-005841; TRAX 01-015840; TRAX 01-015841; TRAX 01-025840; TRAX 01-025841; TRAX 01-045840; TRAX 01-045841; TRAX AUTOMOTIVE 01-005842; TRAX 01-015842; TRAX 01-025842; TRAX 01-045842;	
Size (ladies' French size):	35÷41	TRAX AUTOMOTIVE W 01-005876; TRAX AUTOMOTIVE W 01-005855; TRAX W 01-015876; TRAX W 01-015855; TRAX W 01-025876; TRAX W 01-025855; TRAX W 01-045876; TRAX W 01-045855; TRAX AUTOMOTIVE W 01-005875; TRAX W 01-015875; TRAX W 01-025875; TRAX W 01-045875	
Mounting system:	direct injection PU/PU		
Colour	- upper	black or grey or navy blue	
	- outsole	black/grey + insert in red or black/ black + insert in grey	
Classification:	I - according to the EN ISO 20345:2012, 4		
Risk category:	II - according to Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC – Annex I		

2. Photo of the personal protective equipment

TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876;	TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855;
	

<p>TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855;</p>	<p>TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875;</p>
 <p>or</p> 	 <p>or</p> 
<p>TRAX 01-015841; TRAX W 01-015855;</p>	<p>TRAX 01-015842; TRAX W 01-015875;</p>
 <p>or</p> 	 <p>or</p> 

<p>TRAX 01-025841; TRAX W 01-025855;</p>	<p>TRAX 01-025842; TRAX W 01-025875;</p>
 <p>or</p> 	 <p>or</p> 
<p>TRAX 01-045841; TRAX W 01-045855;</p>	<p>TRAX 01-045842; TRAX W 01-045875;</p>
 <p>or</p> 	 <p>or</p> 

TRAX 01-025840; TRAX W 01-025876;	TRAX 01-045840; TRAX W 01-045876;
	
OUTSOLE TRAX PU/PU	
 or 	

3. Characteristic of the personal protective equipment

USED MATERIALS	
Vamp, quarter, tongue (TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876; TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855; TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875)	grained leather
Vamp, quarter, tongue (TRAX 01-015840; TRAX W 01-015876; TRAX 01-015841; TRAX W 01-015855; TRAX 01-015842; TRAX W 01-015875; TRAX 01-025840; TRAX W 01-025876; TRAX 01-025841; TRAX W 01-025855; TRAX 01-025842; TRAX W 01-025875; TRAX 01-045840; TRAX W 01-045876; TRAX 01-045841; TRAX W 01-045855; TRAX 01-045842; TRAX W 01-045875)	split suede
Collar (TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875; TRAX 01-015842; TRAX W 01-015875; TRAX 01-025842; TRAX W 01-025875; TRAX 01-045842; TRAX W 01-045875)	fabric/two-ply material
Vamp and quarter lining	distance knitted fabric
Seat region lining	fabric
Insock	profiled material, ESD
Insole	anti-penetration material
Toe protection	polycarbonate
Outsole	PU/PU
Information on the used materials is included in the manufacturer's technical documentation	

PROTECTIVE PROPERTIES

Safety footwear, models TRAX AUTOMOTIVE 01-005840; TRAX AUTOMOTIVE W 01-005876; TRAX 01-015840; TRAX W 01-015876; TRAX 01-025840; TRAX W 01-025876; TRAX 01-045840; TRAX W 01-045876 meet to the basic requirements and to the appropriate additional requirements of the EN ISO 20345:2012 standard:

S1 – basic requirements and closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil

P – penetration resistant

SRC – slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine

Safety footwear, models TRAX AUTOMOTIVE 01-005841; TRAX AUTOMOTIVE W 01-005855; TRAX 01-015841; TRAX W 01-015855; TRAX 01-025841; TRAX W 01-025855; TRAX 01-045841; TRAX W 01-045855; TRAX AUTOMOTIVE 01-005842; TRAX AUTOMOTIVE W 01-005875; TRAX 01-015842; TRAX W 01-015875; TRAX 01-025842; TRAX W 01-025875; TRAX 01-045842; TRAX W 01-045875 meet to the basic requirements and to the appropriate additional requirements of the EN ISO 20345:2012 standard:

S3 – basic requirements and closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil, water penetration and absorption, penetration resistant, coated outsole

CI – cold insulation of sole complex

SRC – slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine

4. Basic of the conformity assessment

REGULATION		
Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC		
STANDARDS		
<i>EN ISO 20345:2012 Personal protective equipment. Safety footwear</i>		
<i>EN ISO 20344:2012 Personal protective equipment. Test methods for footwear</i>		
<i>EN 61340-5-1:2016, p. 5.3.3 Electrostatic – part 5-1: Protection of electronic devices form electrostatic phenomena – General requirements</i>		
TESTS AND CERTIFICATES		
Document No.	Date	Identification of the institution issuing the document
595/2019/LG	27.09.2019	Tanning Laboratory, Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź, Poland
650/2019/LG	04.10.2019	
750/2019/LG	05.12.2019	
121a/2020/LG	24.03.2020	
277/2020/LG	21.07.2020	
412/2020/LG	11.09.2020	
626/2020/LG	02.12.2020	
673/2020/LG	15.12.2020	
195/2021/LG	23.07.2021	
64/2020/LO	21.04.2020	Footwear Laboratory, Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź, Poland
1/2021/LO	08.01.2021	
4/2021/LO	29.01.2021	
16/2021/LO	08.02.2021	
23/2021/LO	11.03.2021	
24/2021/LO	03.03.2021	
25/2021/LO	11.03.2021	
28/2021/LO	26.02.2021	
100/2021/LO	26.07.2021	

Date of issue 16.02.2022


Edition No. 2

page/no. of pages 5/6

Attachment No: 1/IPS-1439-20/2021

40-LBŚ/461/G/20	03.08.2020	Products, Processes and Environment Laboratory; Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź; Poland
S-08/E/2021	05.03.2021	Research Laboratory for Dangerous Properties of Materials; Sieć Badawcza Łukasiewicz – Instytut Przemysłu Organicznego, Warszawa
S-81/E/2021	20.08.2021	
S-91/E/2021	12.10.2021	
C-20029157	28.02.2020	INESCOP; Poligonto Industrial Campo Alto. C/ Alemania; Alicante, Spain
RP 2017/2806-1-RP	07.12.2017	CIMAC; Centro Tessile Cotoniero Abbigliamento S.P.A; Busto Arsizio; Milano; Italy
RP 2018/1609-1-RP-3	16.06.2018	
SE-06287	13.07.2021	Centro Tecnológico del Calzado de La Rioja (CTCR); Arnedo; La Rioja; Spain
TECHNICAL DOCUMENTATION ATTACHED TO THE APPLICATION FOR THE EU TYPE-EXAMINATION		

Lodz, 16.02.2022



M.Sc. Eng. Agnieszka Pietrzak